Number Hits Search Text DB Time stam 3209125 @ad<20010130 USPAT; USP-CPUB; IBM_TDB USPAT; USPECBUB; IBM_TDB USPAT; USPECBUB; IBM_TDB USPAT; U	7 09:53 6 10:50 6 11:02 6 10:51 6 10:51
1373	6 10:50 6 11:02 6 10:51 6 10:51
1373	6 10:50 6 11:02 6 10:51 6 10:51
Sead Content	6 10:50 6 11:02 6 10:51 6 10:51
Client with request\$4 with download	6 11:02 6 10:51 6 10:51
- 21	6 11:02 6 10:51 6 10:51
Client with request\$4 with download	6 11:02 6 10:51 6 10:51
130	6 10:51 6 10:51
Client with request\$4 with (download file content)	6 10:51 6 10:51
Content ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https) IBM_TDB US-PGPUB; IBM_TDB IBM_TDB US-PGPUB; IBM_TDB IBM	6 10:51
- 79 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https) - 28 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy - 10 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy and firewall - 31 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy and client with request\$4 with (download file content)) and client same proxy - 18 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy - 18 (((@ad<20010130 and 713/201.ccls.)) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway - 579 (@ad<20010130 and client with request\$4 with (download file with download file content)) and client with request\$4 with (download file content) - 3300 (@ad<20010130 and client with request\$4 with (download file content) - 340 (@ad<20010130 and client with request\$4 with (download file content)) and client with request\$4 with (download file content) - 350 (@ad<20010130 and client with request\$4 with (download file content)) uspAT; us	6 10:51
client with request\$4 with (download file content)) and (http https) (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client same proxy) and firewall ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy [BM_TDB] 18 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy [BM_TDB] (server repositor\$3) with gateway - 579 (@ad<20010130 and client with request\$4 USPAT; US-PGPUB; BM_TDB USPAT; with download [BM_TDB] 3300 (@ad<20010130 and client with request\$4 USPAT; US-PGPUB; BM_TDB USPAT; with (download file content) [BM_TDB] [BM	6 10:51
Content) and (http https)	
- 28 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy - 10 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy) and firewall - 31 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy - 18 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy - 18 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy and (server repositor\$3) with gateway - 579 (@ad<20010130 and client with request\$4 with (download file with download) - 3300 (@ad<20010130 and client with request\$4 with (download file content)) - 375 (@ad<20010130 and client with request\$4 with (download file content) - 375 (@ad<20010130 and 705/51.ccls.)	
client with request\$4 with (download file content)) and (http https)) and client same proxy ((((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy) and firewall 31 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB USPAT; With download (server repositor\$3) with gateway 579 @ad<20010130 and client with request\$4 USPAT; US-PGPUB; IBM_TDB USPAT; With download file content) 3300 @ad<20010130 and client with request\$4 USPAT; US-PGPUB; IBM_TDB US-PGPU	
content)) and (http https)) and client same proxy ((((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy) and firewall ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway 579 @ad<20010130 and client with request\$4 with (download file with request\$4 with (download file content)) a300 @ad<20010130 and client with request\$4 with (download file content) 3300 @ad<20010130 and client with request\$4 with (download file content) 375 @ad<20010130 and 705/51.ccls. BM_TDB USPAT; US-PGPUB; IBM_TDB	6 10:43
same proxy ((((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and (http https)) and client same proxy) and firewall ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy and client with request\$4 with (download file content)) and client with gateway and client with request\$4	6 10:43
client with request\$4 with (download file content)) and (http https)) and client same proxy) and firewall ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy (client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway [ad<20010130 and client with request\$4 with (download file content) [ad<20010130 and client with request\$4 with (download file content) [ad<20010130 and client with request\$4 with (download file content) [ad<20010130 and client with request\$4 with (download file content) [ad<20010130 and client with request\$4 with (download file content) [ad<20010130 and 705/51.ccls.]	6 10:43
content)) and (http https)) and client same proxy) and firewall ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy [BM_TDB] 18 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file client with request\$4 with (download file client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway [Server repositor\$3) with gateway [WSPAT; With download] 3300 @ad<20010130 and client with request\$4 With (download file content) 375 @ad<20010130 and 705/51.ccls. [BM_TDB] USPAT; US-PGPUB; IBM_TDB	
same proxy) and firewall ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway and client with request\$4 by ad<20010130 and client with request\$4 client with download client with request\$4 content)) and client with request\$4 content) client with request\$4 c	
- 31 ((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy - 18 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway - 579 @ad<20010130 and client with request\$4 USPAT; US-PGPUB; IBM_TDB - 3300 @ad<20010130 and client with request\$4 USPAT; US-PGPUB; IBM_TDB - 375 @ad<20010130 and 705/51.ccls. 375 @ad<20010130 and 705/51.ccls.	
client with request\$4 with (download file content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway 579 @ad<20010130 and client with request\$4 with download and client with request\$4 with request\$4 with download and client with request\$4 with request\$4 with download and client with request\$4 with request\$4 with (download file content) and client with request\$4 with request\$4 with download and client with request\$4 with request\$4 with (download file content) and client with request\$4 with request\$4 with download and client with request\$4 with request\$4 with (download file content) and uspAT; and uspAT; by DOM (004/07/004) and client with request\$4 with request\$4 with request\$4 with (download file content) and uspAT; by DOM (004/07/004) and client with request\$4 with request\$4 with request\$4 with (download file content) by DOM (004/07/004) and client with request\$4 with (download file content) and uspAT; by DOM (004/07/004) and client with request\$4 with (download file content) by DOM (004/07/004) and client with request\$4 with (download file content) by DOM (004/07/004) and client with request\$4 with (download file content) by DOM (004/07/004) and client with request\$4 with (download file content) by DOM (004/07/004) and client with request\$4 with (download file content) by DOM (004/07/004) and (004/07/004) by DOM (004/07/004) and (004/07/004) by DOM (004/07/004) client with request\$4 with (download file content) client with request\$4 with reque	6 10 • 45
content)) and client same proxy (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway Somethical content with request\$4 with (download file content) and client same proxy) and (server repositor\$3) with gateway with download and client with request\$4 with content with request\$4 with (download file content) and client same proxy US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB	0 10.45
- 18 (((@ad<20010130 and 713/201.ccls.) and client with request\$4 with (download file content)) and client same proxy) and (server repositor\$3) with gateway (ead<20010130 and client with request\$4 with download (USPAT; USPAT;	
content)) and client same proxy) and (server repositor\$3) with gateway - 579 @ad<20010130 and client with request\$4 with download - 3300 @ad<20010130 and client with request\$4 with (download file content) - 375 @ad<20010130 and 705/51.ccls. IBM_TDB USPAT; US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB	6 10:51
(server repositor\$3) with gateway - 579 @ad<20010130 and client with request\$4 with download - 3300 @ad<20010130 and client with request\$4 with (download file content) - 375 @ad<20010130 and 705/51.ccls.	
- 3300 @ad<20010130 and client with request\$4 USPAT; 2004/07/0 ush download US-PGPUB; IBM_TDB USPAT; 2004/07/0 with (download file content) US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB US-PGPUB; IBM_TDB USPAT; 2004/07/0 USPAT	
<pre>with download - 3300 @ad<20010130 and client with request\$4</pre>	C 10.51
- 3300 @ad<20010130 and client with request\$4 USPAT; 2004/07/0 with (download file content) US-PGPUB; IBM_TDB USPAT; 2004/07/0 USPAT; 2004/07/0	6 10:21
- 3300 @ad<20010130 and client with request\$4 USPAT; 2004/07/0 with (download file content) US-PGPUB; IBM_TDB USPAT; 2004/07/0 2004/07/0	
with (download file content) - US-PGPUB; IBM_TDB USPAT; 2004/07/0	6 10:51
- 375 @ad<20010130 and 705/51.ccls. IBM_TDB USPAT; 2004/07/0	
IIS-PGPIR:	6 11:00
	6 10.51
- 1583 (@ad<20010130 and client with request\$4 USPAT; 2004/07/0 with (download file content)) and (http://us-pgpub;	0 10.31
https)	
- 424 ((@ad<20010130 and client with request\$4 USPAT; 2004/07/0	6 10:51
with (download file content)) and (http US-PGPUB;	
https)) and client same proxy IBM_TDB	
- 18 (((@ad<20010130 and 713/201.ccls.) and USPAT; 2004/07/0	6 10:51
client with request\$4 with (download file US-PGPUB; content)) and client same proxy) and IBM TDB	
content)) and client same proxy) and IBM_TDB (server repositor\$3) with gateway) and	
(server repositor\$3) with gateway, and (server repositor\$3) with gateway	
- 159 (((@ad<20010130 and client with request\$4 USPAT; 2004/07/0	6 10:51
with (download file content)) and (http US-PGPUB;	
https)) and client same proxy) and (server IBM_TDB	
repositor\$3) with gateway	. 10 - 50
- 13 (((@ad<20010130 and client with request\$4 USPAT; 2004/07/0	b 10:52
with (download file content)) and (http US-PGPUB; https)) and client same proxy) and IBM TDB	
https)) and client same proxy) and IBM_TDB (verif\$4 authoriz\$5) with gateway	
- 4 (@ad<20010130 and 705/51.ccls.) and USPAT; 2004/07/0	6 10:58
(servers! repositor\$4) with gateway US-PGPUB;	
IBM_TDB	
- 17 (@ad<20010130 and 705/51.ccls.) and USPAT; 2004/07/0	16 10-58
firewall US-PGPUB;	,0 10.00
IBM_TDB	70 10.50
https ftp)) and client with proxy US-PGPUB; IBM TDB	06 11:00
- 3300 @ad<20010130 and client with request\$4 USPAT; 2004/07/0	
with (download file content) US-PGPUB;	06 11:00
IBM_TDB	06 11:00

_	3209125	@ad<20010130	USPAT;	2004/07/06 12:11
			US-PGPUB; IBM TDB	
-	569	(@ad<20010130 and client with request\$4	USPAT;	2004/07/06 12:11
		with (download file content)) and server	US-PGPUB;	
_	393	and authenticat\$5 with (user client) ((@ad<20010130 and client with request\$4	IBM_TDB USPAT;	2004/07/06 12:11
-	393	with (download file content)) and server	US-PGPUB;	2004/07/00 12.11
		and authenticat\$5 with (user client)) and	IBM_TDB	
	120	(http https ftp)	USPAT;	2004/07/06 12:11
	132	(((@ad<20010130 and client with request\$4 with (download file content)) and server	US-PGPUB;	2004/07/00 12:11
	}	and authenticat\$5 with (user client)) and	IBM_TDB	
		(http https ftp)) and firewall	HODAM.	2004/07/06 12:11
_	75	(((@ad<20010130 and client with request\$4 with (download file content)) and server	USPAT; US-PGPUB;	2004/07/06 12:11
		and authenticat\$5 with (user client)) and	IBM_TDB	
		(http https ftp)) and firewall) and proxy	иоръщ.	2004/07/06 12:12
_	53	((((@ad<20010130 and client with request\$4 with (download file content)) and server	USPAT; US-PGPUB;	2004/07/06 12:12
		and authenticat\$5 with (user client)) and	IBM TDB	
		(http https ftp)) and firewall) and proxy		
***	39	with client ((((@ad<20010130 and client with	USPAT;	2004/07/06 12:12
		request\$4 with (download file content))	US-PGPUB;	2004,07,00 12.12
		and server and authenticat\$5 with (user	IBM_TDB	,
		client)) and (http https ftp)) and firewall) and proxy with client) and (http		
		https) with request		
	82	(@ad<20010130 and 705/51.ccls.) and (http	USPAT;	2004/07/06 13:43
		https ftp)	US-PGPUB; IBM TDB	
_	270	@ad<20010130 and client with proxy and	USPAT;	2004/07/06 12:23
		content same server same ((authorization	US-PGPUB;	
	138	verification gateway proxy) adj server) (@ad<20010130 and client with proxy and	IBM_TDB USPAT;	2004/07/06 12:23
	136	content same server same ((authorization	US-PGPUB;	2004/07/00 12.23
		verification gateway proxy) adj server))	IBM_TDB	
	129	and firewall ((@ad<20010130 and client with proxy and	USPAT;	2004/07/06 12:24
	129	content same server same ((authorization	US-PGPUB;	2004/07/00 12.24
		verification gateway proxy) adj server))	IBM_TDB	
	96	and firewall) and (http https ftp) ((@ad<20010130 and client with proxy and	USPAT;	2004/07/06 12:24
-	96	content same server same ((authorization	US-PGPUB;	2004/07/00 12.24
		verification gateway proxy) adj server))	IBM_TDB	
		and firewall) and (http https ftp)) and (http https) with request		
_	96		USPAT;	2004/07/06 12:46
		and content same server same	US-PGPUB;	
		((authorization verification gateway proxy) adj server)) and firewall) and	IBM_TDB	
		(http https ftp)) and (http https) with		
		request) and client with (request\$2		
	20	download\$2 receiv\$4) @ad<20010130 and 705/\$.ccls. and	USPAT;	2004/07/06 12:46
	20	713/\$.ccls. and content adj server	US-PGPUB;	
			IBM_TDB	0004/07/06 40 00
	25	("5204947" "5239466" "5283861" "5315711" "5349675" "5479599"	USPAT	2004/07/06 13:09
		"5483631" "5497463" "5699494"		
		"5715453" "5727135" "5727155"		
		"5742759" "5761421" "5761656" "5778356" "5801689" "5801707"		
		"5802530" "5805442" "5812826"		
		"5845299" "5847957" "5949412"		
_	19	"5956036").PN. 6138150.URPN.	USPAT	2004/07/06 13:09
	<u> </u>	OTOUTOU. ORLIN.	1 3 3 2 2 2 2	1 2001/07/00 10:09

				0004/07/06 10 10
-	39	@ad<20010130 and ((("5204947" "5239466" "5283861" "5315711" "5349675"	USPAT; US-PGPUB;	2004/07/06 13:10
		"5283861" "5315711" "5349675" "5479599" "5483631" "5497463"	IBM TDB	
		"5699494" "5715453" "5727135"		
		"5727155" "5742759" "5761421"		
		"5761656" "5778356" "5801689"		
		"5801707" "5802530" "5805442" "5812826" "5845299" "5847957"		
		"5949412" "5956036").PN.) 6138150.URPN.)		
_	0	(@ad<20010130 and 709/119.ccls.) and (http	USPAT;	2004/07/06 13:52
		https ftp)	US-PGPUB;	
		(0.1,00010100	IBM_TDB	2004/07/06 12:51
-	0	(@ad<20010130 and 709/119.ccls.)	USPAT; US-PGPUB;	2004/07/06 13:51
			IBM TDB	
_	774	(@ad<20010130 and 709/219.ccls.) and (http	USPAT;	2004/07/06 13:52
		https ftp)	US-PGPUB;	
	105	//O 1/00010100 1 700/010 1- 1 - 1 - 1	IBM_TDB	2004/07/06 12-52
-	135	((@ad<20010130 and 709/219.ccls.) and (http https ftp)) and client with proxy	USPAT; US-PGPUB;	2004/07/06 13:52
		(neep neeps rep); and errene wren proxy	IBM TDB	
	20	(((@ad<20010130 and 709/219.ccls.) and	USPAT;	2004/07/06 13:54
		(http https ftp)) and client with proxy)	US-PGPUB;	
		and (verification authorization gateway)	IBM_TDB	
	2200167	adj server	USPAT;	2004/07/06 14:06
-	3209167	<pre>@ad<20010130 content adj (server repositor\$3) same (verification</pre>	US-PGPUB;	2004/07/00 14.00
		authorization gateway) adj server	IBM TDB	
_	24		USPĀT;	2004/07/06 14:10
		repositor\$3) same (verification	US-PGPUB;	
	2011	authorization gateway) adj server	IBM_TDB USPAT;	2004/07/06 14:10
_	2811	<pre>@ad<20010130 and client with (request\$2 access\$2) with (file content) with server</pre>	US-PGPUB;	2004/07/00 14.10
		decepação wiem (iiie contente, wiem berver	IBM TDB	
_	144	(@ad<20010130 and client with (request\$2	USPAT;	2004/07/06 14:10
		access\$2) with (file content) with server	US-PGPUB;	
) and (server repositor\$3) same	IBM_TDB	
		(verification authorization gateway) adj		
_	97		USPAT;	2004/07/06 14:24
		access\$2) with (file content) with server	US-PGPUB;	
) and (server repositor\$3) same	IBM_TDB	
		(verification authorization gateway) adj		
_	1	@ad<20010130 and content with protection	USPAT;	2004/07/06 14:25
	_	and server with (authorizat\$6 verif\$7) and	US-PGPUB;	
		client with request with (content media	IBM_TDB	
	^	file) same http @ad<20010130 and content with protection	USPAT;	2004/07/06 14:30
_	8	and server with (authorizat\$6 verif\$7) and	US-PGPUB;	2004/07/00 14.30
		client with request with (content media	IBM_TDB	
		file)		000110-100
-	0	6668246.URPN.	USPAT	2004/07/06 14:33
-	/	("4933971" "5638448" "5689566" "6275939" "6298446" "6304969"	USPAT	2004/07/06 14:35
		"6353892"),PN.		
_	6	@ad<20010130 and content adj server same	USPAT	2004/07/06 14:37
		gateway adj server	II.O.D.T.	0004/07/06 14 27
_	30	1 -	USPAT	2004/07/06 14:37
_	8	access adj server @ad<20010130 and content adj server same	USPAT	2004/07/06 14:38
		authentication adj server		
-	1	@ad<20010130 and content adj server same	USPAT	2004/07/06 14:39
	77	security adj server Qad<20010130 and content adj server with	USPAT	2004/07/06 14:42
_		connected with server	USIAI	2004/07/00 14.42
_	66		USPAT	2004/07/06 14:42
		proxy		
-	42	(@ad<20010130 and content adj server with	USPAT	2004/07/06 14:55
_	138	proxy) and client with proxy 5706507.URPN.	USPAT	2004/07/06 14:54
<u>L</u>	L		1 ~~***	1

_	12	("5347623" "5394526" "5408600"	USPAT	2004/07/06 14:54
		"5410691" "5493677" "5499046"		
		"5544320" "5553221" "5557541"		
	120	"5559933" "5596705" "5597307").PN.	USPAT	2004/07/06 14:55
_	138	@ad<20010130 and (5706507.URPN. (("5347623" "5394526" "5408600"	USFAI	2004/0//00 14:55
		"5410691" "5493677" "5499046"		
		"5544320" "5553221" "5557541"		+
		"5559933" "5596705" "5597307").PN.))		
	99	•	USPAT	2004/07/06 14:55
		(("5347623" "5394526" "5408600"		,
		"5410691" "5493677" "5499046"		
	,	"5544320" "5553221" "5557541"		
		"5559933" "5596705" "5597307").PN.)))		
		and (http https ftp)		
-	64	, , -	USPAT	2004/07/06 14:55
		(("5347623" "5394526" "5408600"		
		"5410691" "5493677" "5499046"		
		"5544320" "5553221" "5557541"		
		"5559933" "5596705" "5597307").PN.)))		
		and (http https ftp)) and client with		
	,	request	USPAT;	2004/07/06 15:17
+	4	<pre>@ad<20010130 and content adj server same gateway with (firewall authorization)</pre>	US-PGPUB;	2004/07/00 13:17
		gateway with (lifewall authorization)	IBM TDB	
	30	@ad<20010130 and content adj server same	USPAT;	2004/07/06 16:11
	30	server with (firewall authorization)	US-PGPUB;	
			IBM TDB	
_	20	@ad<20010130 and content adj server same	USPAT;	2004/07/06 15:45
		(firewall authorization) and client with	US-PGPUB;	
		request with (file content media data)	IBM_TDB	·
-	1	6385596.pn.	USPAT;	2004/07/06 15:46
			US-PGPUB;	
			IBM_TDB	0004/07/06 15 50
_	16	6385596.URPN.	USPAT	2004/07/06 15:50
_	51	("4747139" "4817140" "5003410" "5023004" "5034000" "5155760"	USPAT	2004/07/06 15:46
		"5033084" "5034980" "5155768" "5191573" "5199066" "5418713"		
		"5592651" "5621796" "5623547"		
		"5636276" "5661799" "5673316"		
		"5675734" "5677953" "5715314"		
		"5724424" "5734823" "5734891"		
		"5742845" "5745568" "5754649"		
		"5757907" "5778421" "5790677"		
		"5794217" "5809144" "5857021"		
		"5889860" "5892900" "5900564"		
		"5910987" "5915019" "5917912"		
		"5920861" "5943422" "5949876"		
		"5982891" "6005939" "6061448" "6132191" "6138119" "6157721"	1	
		"6112181" "6138119" "6157721" "6185683" "6189098" "6236971"		
		"6237786" "6240185" "6253193").PN.		
_	37		USPAT	2004/07/06 15:50
		and authorization and clients and http		
_	38		USPAT	2004/07/06 15:55
		and authorization and clients and (http		
		https shttp ftp)		
_	26	@ad<20010130 and content adj server with	USPAT	2004/07/06 15:56
		router	.,,,,,,,	0001/05/05
-	23		USPAT	2004/07/06 16:05
		route\$2 and client with request	USPAT	2004/07/06 16:10
_	46	@ad<20010130 and content adj server and file with transfer with request	OSFAI	2004/07/06 16:10
_	170		USPAT;	2004/07/06 16:11
	1,0	server same server with (firewall	US-PGPUB;	2001,01,00
	-	authorization)	IBM TDB	
_	98		USPAT;	2004/07/06 16:11
		server same server with (firewall	US-PGPUB;	
		authorization)) and client with request	IBM_TDB	
-	93		USPĀT;	2004/07/06 16:13
		server same server with (firewall	US-PGPUB;	
		authorization)) and gateway	IBM_TDB	

_	273	@ad<20010130 and (content file media) adj	USPAT;	2004/07/06 16:15
		servers! with (gateway router central	US-PGPUB; IBM TDB	
_	63	main) @ad<20010130 and (content file media) adj	USPAT;	2004/07/06 16:15
		servers! with (gateway router central	US-PGPUB;	
		main) and client with request with	IBM_TDB	
		(content file media access)		
_	26	,	USPAT;	2004/07/06 16:15
		adj servers! with (gateway router central	US-PGPUB;	
		<pre>main) and client with request with (content file media access)) and http</pre>	IBM_TDB	
_	243	· ·	USPAT;	2004/07/06 16:15
	213	servers! with (gateway router central)	US-PGPUB;	
		Software (gasewar reasons)	IBM TDB	
_	55	@ad<20010130 and (content file media) adj	USPĀT;	2004/07/06 16:15
		servers! with (gateway router central) and	US-PGPUB;	
		client with request with (content file	IBM_TDB	
	23	media access) (@ad<20010130 and (content file media)	USPAT;	2004/07/06 16:19
_	23	adj servers! with (gateway router central)	US-PGPUB;	2004/07/00 10:19
		and client with request with (content file	IBM TDB	
		media access)) and http	_	
_	27		USPAT;	2004/07/06 16:22
		with content and client with request with	US-PGPUB;	
	101	(file content) @ad<20010130 and (content file) adj	IBM_TDB USPAT;	2004/07/06 16:22
_	101	server with (proxy gateway) adj server	US-PGPUB;	2001/07/00 10.22
		borver aren (promy gaconay) aay borver	IBM TDB	
_	69	(@ad<20010130 and (content file) adj	USPAT;	2004/07/06 16:22
		server with (proxy gateway) adj server)	US-PGPUB;	
		and client with (access request)	IBM_TDB	0004/07/06 16 06
_	61	_ ` ` -	USPAT;	2004/07/06 16:36
		server with (proxy gateway) adj server) and client with (access request)) and	US-PGPUB; IBM TDB	
		(http ftp shttp https)		
_	51		USPAT;	2004/07/06 16:39
:		with (gateway proxy)	US-PGPUB;	
			IBM_TDB	0004/07/06 16 00
-	47	@ad<20010130 and content adj servers! and	USPAT;	2004/07/06 16:39
		http with request with client	US-PGPUB; IBM TDB	
	8	("5802301" "6052724" "6167427"	USPAT	2004/07/07 09:51
		"6223206" "6256675" "6324580"		
		"6324590" "6327622").PN.		
	556		USPAT;	2004/07/07 10:03
		709/\$.ccls.	US-PGPUB;	
	42	(@ad<20010130 and 713/201.ccls. and	IBM_TDB USPAT;	2004/07/07 10:02
	42	709/\$.ccls.) and (content file media) adj	US-PGPUB;	
		servers!	IBM_TDB	
_	556	@ad<20010130 and 713/201.ccls. and	USPAT;	2004/07/07 10:03
		709/\$.ccls.	US-PGPUB;	
-	4	/And/20010120 and 712/201 and	IBM_TDB USPAT;	2004/07/07 10:03
_	1	(@ad<20010130 and 713/201.ccls. and 709/\$.ccls.) and appropriate with (content	US-PGPUB;	2004/07/07 10:03
		file media) adj servers!	IBM TDB	
_	3209125	1	USPAT;	2004/07/07 10:03
			US-PGPUB;	
			IBM_TDB	0004/05/05 40 40
_	51	@ad<20010130 and appropriate with	USPAT; US-PGPUB;	2004/07/07 10:10
		(content file media) adj servers!	IBM TDB	
	501	@ad<20010130 and client with request with	USPAT;	2004/07/07 10:10
		file and (request with http)	US-PGPUB;	
			IBM_TDB	
-	586	_	USPAT;	2004/07/07 10:10
		with file and (request\$2 with http)	US-PGPUB; IBM TDB	
	167	(@ad<20010130 and client with request\$2	USPAT;	2004/07/07 10:11
	101	with file and (request\$2 with http)) and	US-PGPUB;	2001,01,01
		servers! with (gateway proxy)	IBM_TDB	
<u> </u>	· t · · · · · · · · · · · · · · · · · ·			

-	68	((@ad<20010130 and client with request\$2	USPAT;	2004/07/07 10:12
		with file and (request\$2 with http)) and	US-PGPUB;	
		servers! with (gateway proxy)) and	IBM_TDB	
		authoriz\$6		
_	28	(((@ad<20010130 and client with request\$2	USPAT;	2004/07/07 10:12
		with file and (request\$2 with http)) and	US-PGPUB;	
		servers! with (gateway proxy)) and	IBM_TDB	
		authoriz\$6) not CGI		